



Wutzl Printing Systems proudly presents the PJ series. These state-of-the-art Hot-Stamping presses are build to last. The machines have low air consumption or effort level (on manual models) when compared to direct cylinder machines, thanks to a force multiplier by means of a mechanical toggle. All PJ presses are supplied with a trade mark leveling system, feature that allows the compensation for the eventual lack of parallelism between the printing plate and the part that will be hot stamped. All machine models are prepared to be attached to automatic systems either those already installed in the customer plant or the ones supplied with the machine.

All machines can be tailored with optional devices according to the customer needs as seen in some examples below.



OPTIONS

- High temperature heads, recommended to wood and leather marking
- Extra security guards
- Pneumatic sliding table that eases the feeding of heavy parts MDP
- Cylindrical parts handler (up to Ø60mm) DC
- Automatic progressive numbering wheels for security seals -MDT
- Paper embossing with special clichés
- High precision electric foil advance AFE
- Rotary table with two positions SR
- Register eye system for heat-transfers FT
- Pneumatic foil detacher ruler. DT



SPECIAL VERSIONS

As said, the machines can be tailored to specific customer needs adding optional devices. The machines can also, in deeper change needs, be redesigned by our highly skilled design team for the case. The machines pictured below are ready solutions for common cases.



PJ-DC-100 is a pen (or other small cylindrical part) printer with semi-automatic operation.



TAC-7000 is a high production automatic pen printer. Depending on the size of the image and the product it can print up to 9.000 parts per hour.



PJ-DC100-ROL is an automatic version specific for numbered wheels.

FEATURES	MJ-6	PJ-6	PJ-10	PJ-30	PJ-60	P.J-90	PJ-91	PJ-150	PJ-DC-100
							255x305mm	300x450mm	70x100mm
Head size	70x100 mm	70x100 mm	100x120 mm	180x300mm	180x300mm	255x305mm	ZOOXOUOIIIII	3000430111111	
Drive	Manual	Pneumatic	Pneumatic	Pneumatic	Pneumatic	Pneumatic	Pneumatic	Pneumatic	Pneumatic
Heating power	600W	600W	600W	2500W	2500W	2100W	2100W	2100W	600W
	220V 50/60Hz	220V 60Hz	220V 60Hz	220V 60Hz	220V 60Hz	220V 60Hz	220V 60Hz	220V 60Hz	220V 60Hz
Air consumption	- 1	3,8 SCFM	6 SCFM	9 SCFM	9 SCFM	8 SCFM	9 SCFM	8 SCFM	3,8 SCFM
Maximal Height	140mm	140mm	250mm	250mm	250mm	130mm	400mm	130mm	180mm
(part+fixture)				7,0					
Maximal Center	120mm	120mm	135mm	250mm	250mm	425mm	425mm	425mm	160mm
Border Distance					(
Vertical head	30mm	30mm	35mm	50mm	50mm	70mm	70mm	50mm	30mm -
stoke									
Printing foil	70mm	70mm	100mm	180mm	180mm	250mm	250mm	300mm	70mm
(max. Width)									
Maximum	600 kg/f	600 kg/f	1000 kg/f	3000 kg/f	6000 kg/f	10.000 kg/f	10.000 kg/f	15000 kg/f	600 kg/f
printing force									
Machine weight	55 kg	60 kg	205 Kg.	360 Kg.	400 Kg.	580Kg.	580 Kg.	850Kg.	160 Kg.
Cycles / hour	Up to 1.200	Up to 2.000	1000	600	600	500	500	500	1500



WUTZL SISTEMAS DE IMPRESSÃO LTDA

Rua Silvestre Vasconcelos Calmon, 330 CEP 07020-001 - Guarulhos - SP - Brasil

Fone: 55 11 6475-4233 - Fax: 55 11 6440-4524 www.wutzl.com.br e-mail: wutzl@wutzl.com.br